


Index



Index

Table of Contents

Topic	Page
INDEX.....	373



INDEX

--- A ---

A/D conversion, 63, 65 - 67, 136

Access, 4, 11, 47, 76

Active, 24, 158

Adaptive equalization, 60, 146

Adjacent channel interference (C/A), 91, 218, 220

Administration, 36, 96, 138, 142, 236, 249, 256, 301

Advanced Mobile Public System, 4, 5, 30

AGCH, 76, 78, 83, 193, 195

AM, see Application Module

American National Standards Institute (ANSI), 9, 22, 228, 248, 321

AMPS, 4, 5, 30, 119, 121

Analog, 48, 63, 316

Analog information, 48

ANSI, see American National Standards Institute

Antenna diversity, 58

Application Module (AM), 90 - 92, 120, 132, 273

Application Platform Services Interface (APSI), 93

APSI, see Application Platform Services Interface

APT, 89, 91, 96, 105, 111, 117, 120, 121, 137, 142

APZ, 89, 91, 94, 106, 117, 120, 121, 137, 142

AUC, 13, 15, 29, 113

Authentication, 30, 124, 164, 189, 190

Authentication Center (AUC), 13, 15, 30

AXE, 5, 29, 30, 85 - 96, 104, 106, 107, 111, 113, 117, 127, 134, 137, 142, 237, 238, 245, 246, 248, 287, 289

AXS, 237, 245

---B---

BA, 92

BAM, see BTS Alarm Management

Bandwidth, 39, 43

Base Station Controller

Base Station Controller (BSC), 13, 16, 29, 30, 32, 77, 83, 85, 88, 96, 114, 133, 134, 136 - 150, 158, 193, 195 - 201, 222, 229, 236, 240, 243, 245, 250, 252, 307, 308, 330, 331

Base Station Identity Code (BSIC), 75, 145, 184

Base Station System (BSS), 9, 12, 13, 16, 29, 30, 76, 114, 133, 134, 136, 330, 333, 336, 339

Base Transceiver Station (BTS), 13, 16, 29, 31, 32, 40, 50 - 54, 58 - 62, 71, 75 - 77, 82, 83, 96, 125, 135, 141, 158 - 160, 208, 209, 212, 216, 217, 223, 226, 229, 236, 242 - 245, 307, 308, 329 - 331

BCCH, see Broadcast Control CHannel

-
-
- BCH, see Broadcast CHan
 - BCM, see BTS Configuration Management
 - BER, see Bit Error Rate
 - BGW, see Billing GateWay
 - BHW, 236, 242, 243
 - Billing GateWay (BGW), 29, 37, 257, 275, 276
 - Bit Error Rate (BER), 56, 57, 69, 70, 135
 - Broadcast CHannel (BCH), 75, 80, 81, 82
 - Broadcast Control CHannel (BCCH), 75 - 79, 81, 138, 157, 158, 189, 190, 196, 197, 202, 225
 - BS, 18, 99
 - BSC, 13, 16, 29, 30, 77, 83, 85, 88, 96, 114, 133, 134, 136, 137, 138, 139, 140, 141, 142, 143, 145, 146, 148, 149, 150, 158, 193, 195, 196, 197, 198, 199, 200, 201, 222, 229, 236, 240, 243, 245, 250, 252, 307, 308, 330, 331
 - BSC/TRC, 134, 143, 193, 195, 330
 - BSIC, see Base Station Identity Code
 - BSS, see Base Station System
 - BSW, 236, 242, 244
 - BTA, 42
 - BTS, see Base Transceiver Station
 - BTS Alarm Management (BAM), 242, 243
 - BTS Configuration Management (BCM), 236, 242, 243
 - Burst formatting, 71
 - C ---
 - C/A, see Adjacent channel interfere
 - C/I, 217
 - Call Data Record (CDR), 37, 104, 257, 273, 275
 - Call from an MS, 193
 - Call to an MS, 83, 194, 202
 - Carrier separation, 44
 - CAS, see Customer Administration Systems
 - CBCH, see Cell Broadcast CHannel
 - CCCH, 76, 79, 81, 82
 - CCS, 96, 100
 - CDMA, see Code Division Multiple Access
 - CDR, see Call Data Record
 - CDU, 147, 148, 149
 - Cell, 18, 33, 77, 138, 157, 184, 207, 210, 211, 212, 214, 222, 224, 225, 236, 240, 241, 249, 250, 252, 296, 313, 314, 339
 - Cell Broadcast CHannel (CBCH), 77, 78
 - Cell Design Data (CDD), 222
 - Cell Global Identity (CGI), 18, 184
 - Cell load sharing, 138
 - Cell pattern, 212, 314
 - Cell planning process, 210
 - Cell selection, 157

- DCCH, 76, 77, 81, 82
- DCE, see Data Communication Equipment
- DCS, see Digital Cellular System
- Different types of mobile stations, 17
- Digital Cellular System, (DCS), 4, 5, 7, 106, 108
- Digital Enhanced Cordless Telecommunications (DECT), 11
- Discontinuous Reception (DRX), 159
- Discontinuous Transmission (DTX), 159
- Distribution switch Unit (DXU), 147, 148
- Downlink, 39, 75 - 77
- Dropback, 203
- DTE, see Data Terminating Equipment
- DTI, see Data Transmission Interface
- DTMF, see Dual Tone Multi Frequency
- DTS, see Data Transmission Subsystem
- DTX, see Discontinuous Transmission
- Dual Tone Multi Frequency (DTMF), 168, 171, 262
- Duplex Distance, 39, 44
- DXU, see Distribution switch Unit
- DXX, 229, 237
- E ---
- ECU, see Energy Control Unit
- EIR, see Equipment Identity Register
- EM, 95, 111
- EMC, 111
- Energy Control Unit (ECU), 147, 149
- Equipment Identity Register, 13, 15, 30
- Equipment Identity Register (EIR), 13, 15, 30, 113, 122, 126, 127, 229, 237
- Ericsson mobile phones, 161
- ESS, 96, 289
- ETC, 99
- ETSI, 6, 9, 23, 111, 228, 317, 321, 329
- eXisting Source System (XSS), 91, 93
- F ---
- FACCH, see Fast Associated Control CHannel
- FAS, see Frequency Allocation Support
- Fast Associated Control CHannel (FACCH), 73, 78, 79, 198
- Fault Management (FM), 33, 34, 40, 41, 43, 237, 241
- Fax mail, 129, 263
- FCC, see Federal Communications Commission
- FCCH, 75, 76, 78
- FDMA, see Frequency Division Multiple Access
- Federal Communications Commission (FCC), 42
- File Management Subsystem (FMS), 107

- FM, see Fault Management
- FMS, 106, 107
- FOX, 236
- Frequency Allocation Support (FAS), 236, 249, 251
- Frequency Division Multiple Access (FDMA), 6
- Frequency hopping, 61
- G ---
- Gateway, 36, 37, 256, 257
- Gateway Mobile services Switching Center (GMSC), 14, 29, 85, 96, 104, 113, 118, 119, 130, 131, 194, 195, 202, 203, 271, 273
- Gaussian Minimum Shift Keying (GMSK), 46, 72
- GCC, see Graphical Cell Configuration
- GCD, see Graphical Cell Display
- GDM, 111
- General, 9
- Global Positioning System (GPS), 223
- Global System for Mobile Communication, se GSM
- GMSC, see Gateway Mobile services Switching Center
- GMSK, see Gaussian Minimum Shift Keying
- GNIP, 238, 241, 247
- GOS, see Grade Of Service
- GP, 71, 78
- GPRS, 292, 319, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 340
- GPS, see Global Positioning System
- Grade Of Service (GOS), 211, 212, 215, 314
- Graphical Cell Configuration (GCC), 33, 241
- Graphical Cell Display (GCD), 33
- Graphical User Interface (GUI), 32, 249, 256, 257, 276
- Group Switching Subsystem (GSS), 96, 101, 105
- GSM, 4 - 12, 14 - 18, 20, 22 - 25, 27 - 31, 35, 39, 41, 42, 46, 47, 51, 61 - 68, 71 - 73, 75, 81, 85, 91, 105, 109, 113 - 118, 120 - 122, 126 - 133, 136, 139, 144, 151, 157, 160 - 164, 166, 168, 173, 177 - 181, 196, 202, 216 - 219, 227, 233, 234, 238, 249, 251, 256, 257, 259, 260, 262, 264, 267, 269, 270, 273, 275, 281, 285 - 289, 291, 293 - 295, 299, 302 - 305, 309, 310, 313, 315, 318 - 322, 327 - 332, 334
- GSM and its phases, 10
- GSM transmission process, 72
- GSS, see Group Switching Subsystem
- GUI, see Graphical User Interface
- H ---
- HCS, 138, 225
- High Speed Circuit Switched Data (HSCSD), 128, 292, 294, 296, 319
- HLR, see Home Location Register

Home Location Register (HLR), 13 - 15, 19, 29, 30, 36, 85, 87, 92, 96, 113, 114, 116, 118 - 121, 123, 127, 180, 188, 190, 191, 195, 201, 202, 205, 229, 245, 256, 321, 328, 331, 332, 336

Home location Register Subsystem (HRS), 96, 120, 121

HRS, see Home location Register Subsystem

HSCSD, see High Speed Circuit Switched Data

--- I ---

Idle, 24, 138, 157

IEC, 111

ILR, see Interworking Location Register

IMEI, see International Mobile Equipment Identity

IMSI, see International Mobile Subscriber Identity

IMSI attach, 188, 202, 334, 336, 340

IMSI detach, 191

IN, 5, 35, 85, 229, 281

Integrated Services Digital Network (ISDN), 14, 85, 92, 96, 115, 128, 170, 177, 260, 261, 265, 266, 294, 295, 297

Inter Working Function (IWF), 30, 128, 294

Interface between MSC and BSC, 9, 14, 15, 16, 17, 18, 19, 32, 42

Interleaving, 57, 69

International Mobile Equipment Identity (IMEI), 126, 168, 181

International Mobile Equipment Identity and Software Version number (IMEISV), 182

International Mobile Subscriber Identity (IMSI), 116, 119, 122, 123, 163, 168, 180, 186, 188, 191, 195, 202, 332, 334, 335, 336, 338, 340

Interworking Location Register (ILR), 29, 30, 85, 113, 119, 121

ISDN, see Integrated Services Digital Network

ISI, 52

ITU, 228, 262, 301

IWF, see Inter Working Function

--- K ---

Kc, 123 - 125, 164, 165

Ki, see Subscriber authentication key

--- L ---

LA, see Location Area

LAI, see Location Area Identity

LN, see Location Number

Locating, 138, 141, 196

Location Area (LA), 18, 24, 25, 75, 83, 116, 140, 183, 184, 188 - 190, 195, 197, 198, 201, 330, 332, 336, 339, 340

Location Area Identity (LAI), 75, 165, 183, 184, 188, 189

Location Number (LN), 185

Location updating, 124, 183, 189, 190

Logical channel, 74, 81, 82

--- M ---

Maintenance, 13, 29, 92, 96, 105, 107, 138, 140, 146, 233, 255, 324

MAintenance Subsystem (MAS), 106, 107

Management Network, 33

Management report, 250

Mapping, 81, 121, 248

MAS, see MAintenance Subsystem

Maxite, 151

MC, see Message Center

MCS, 106, 107

MDS, see Mobile Data Subsystem

ME, see Mobile Equipment

Message Center (MC), 29, 35, 113, 129, 130, 131, 173

Message System, 35

MIN, see Mobile Intelligent Network

MML, 231

MMS, see Mobile Mobility and radio Subsystem

Mobile Assisted HandOver (MAHO), 196

Mobile Data Subsystem (MDS), 96, 117

Mobile Equipment (ME), 155, 163, 164, 166, 171, 172

Mobile Intelligent Network (MIN), 35, 91, 92, 132, 229, 259, 281 - 290, 321

Mobile Intersystem roaming Subsystem (MIS), 121

Mobile Mobility and radio Subsystem (MMS), 96, 117

Mobile services Switching Center (MSC), 9, 13 - 14, 15, 16, 19, 29, 30, 32, 35, 83, 85, 87, 90, 92, 96, 99, 104, 113 - 120, 122 - 128, 131 - 134, 136, 139, 141, 180, 183, 185, 186, 189, 190, 191, 193 - 195, 197 - 205, 222, 228, 229, 240, 245, 257, 260, 261, 271, 273, 286, 290, 294, 297, 308, 319, 328, 330 - 333, 336

Mobile Services Switching Centre, 9, 13, 14, 15, 16, 19, 29, 30

Mobile Standards, 3

Mobile Station (MS), 9, 13 - 20, 24, 25, 28, 40, 43, 47, 50 - 54, 60 - 63, 66, 70, 71, 74 - 77, 81 - 83, 114, 116, 118, 119, 122 - 126, 129, 130, 133, 135, 136, 138, 140 - 142, 146, 155 - 160, 166 - 172, 180 - 184, 186 - 202, 204, 205, 215 - 217, 223, 225, 251, 252, 260, 263, 264, 267, 274, 278, 296, 297, 318, 319, 321, 322, 327, 329, 330 - 332, 334 - 340

Mobile Station ISDN number (MSISDN), 119, 178, 179, 195, 265, 271, 278, 334

Mobile Station Roaming Number (MSRN), 183, 195, 271

Mobile Switching Subsystem (MSS), 96, 98, 105, 117, 118

Mobile Traffic Recording (MTR), 250

Modulation, 46

MoU, 6, 7

MRR, 237, 241, 249, 251

- MS, see Mobile Station
- MS features, 167
- MS Purging, 191
- MSC, see Mobile services Switching Center
- MSC Service Area, 19
- MSC/VLR, 29, 30, 32, 35, 83, 85, 87, 90, 92, 96, 99, 104, 113, 117, 118, 120, 122 - 128, 132 - 134, 136, 139, 141, 180, 183, 185, 186, 189 - 195, 197 - 205, 222, 271, 273, 286, 290, 294, 297, 328, 330, 332, 333, 336
- MSC/VLR Service Area, 19
- MSISDN, see Mobile Station ISDN number
- MSRN, see Mobile Station Roaming Number
- MSS, see Mobile Switching Subsystem
- MTA, 42
- Multipath fading, 51
- MXE, 29, 35, 113, 131, 229, 237
- N ---
- NCS, see Neighboring Cell Support
- NE, 228, 229, 230, 231, 232, 233, 245, 246, 247, 248, 271
- Neighboring Cell Support (NCS), 236, 241, 249, 252
- Network Alarm Status Presentation, 34, 246
- Network Management Subsystem (NMS), 96, 105, 253, 254, 255
- Network Statistics, 236, 249, 250
- Network Status Presentation (NSP), 246
- NMC, 13, 16, 29, 32, 234
- NMS, see Network Management Subsystem
- NMT, 4, 5, 23
- Nominal cell plan, 214
- Normal burst, 69
- Number Analysis Manager (NAM), 237
- NWS, 249, 250
- O ---
- O&M, see Operation and Maintenance
- OCS, 106
- OMC, see Operation and Maintenance Center
- OMS, see Operation and Maintenance Subsystem
- Open System Interconnection (OSI), 108, 229
- Operation and Maintenance, 13, 16, 227, 228, 233
- Operation and Maintenance Center (OMC), 13, 16, 29, 32, 34, 37, 234, 238, 308
- Operation and Maintenance Subsystem (OMS), 96, 105, 249
- Operation and Support System (OSS), 29, 32, 33, 35, 37, 107, 140, 215, 227, 229, 231, 232, 233, 234, 235, 236, 238, 239, 241, 244, 246, 247, 248, 249, 251, 254, 256, 257, 276

- Operation report, 250
- OSI, see Open System Interconnection
- OSS, see Operation and Support System
- P ---
- PAD, 260, 293, 295
- Paging CHannel (PCH), 76, 78, 83, 195
- Path loss, 50
- PC, 204, 223, 232
- PCH, see Paging CHannel
- PCM, see Pulse Code Modulation
- PCS, see Personal Communication Services
- PCS 1900, 4
- PDN, 14, 128
- Performance Management, 33, 34, 249, 250
- Personal Communication Services (PCS), 4, 5, 7, 22, 42
- Personal Digital Standard, 4, 5
- PH, 294
- Phase, 6, 7, 10, 11, 305, 306
- Physical channel, 73
- PIN Unlock Key (PUK), 165, 166
- PLMN, see Public Land Mobile Network
- PLMN Service Area, 19
- PMR, 249, 250
- Power Supply Unit (PSU), 147, 149
- Propagation, 216
- PSTN, see Public Switched Telephony Network
- PSU, see Power Supply Unit
- Public Land Mobile Network (PLMN), 14, 19, 20, 85, 115, 122, 124, 128, 157, 164, 165, 168, 169, 171, 172, 178 - 184, 186, 200, 202, 238, 260, 261, 264, 266, 267, 270, 271, 273, 279, 294, 302, 319, 322, 332
- Public Switched Telephone Network, 14, 118
- Public Switched Telephony Network (PSTN), 14, 67, 85, 114, 115, 118, 128, 177, 178, 193, 194, 195, 200, 229, 260, 261, 271, 281, 291, 294, 297, 304, 319, 322
- PUK, see PIN Unlock Key
- Pulse Code Modulation (PCM), 30, 63, 67, 101, 102, 136, 139, 305
- Q ---
- Quantization, 63, 64
- R ---
- RACH, see Random Access CHannel
- Radio Base Station (RBS), 29, 31, 133, 135, 138 - 142, 144 - 153, 184, 189, 193, 195 - 201, 243, 246
- Radio Measurements, 221
- RAND, 123, 124

-
-
- Random Access CHannel (RACH), 76, 78, 81, 83, 193, 195
 - Rate Adaptation, 136
 - Rayleigh fading, 51, 52, 54, 61
 - RBS, see Radio Base Station
 - RCS, 96, 142
 - Regional Processor Subsystem (RPS), 106, 107
 - Regional Subscription Zone Identity (RSZI), 185
 - Registration, 24, 25, 190
 - Resource Module Platform (RMP), 91, 92, 93, 105
 - RMP, see Resource Module Platform
 - RMS, 96
 - RNR, 236, 249, 250
 - ROS, 96, 137, 142
 - RPG, 140, 142, 143
 - RPS, see Regional Processor Subsystem
 - RSZI, see Regional Subscription Zone Identity
 - RTS, 96, 137, 142
 - RU, 147, 243
 - S ---
 - SACCH, see Slow Associated Control CHannel
 - Sampling, 63
 - SCF, see Service Control Function
 - SCH, see Synchronization CHannel
 - SCP, see Service Control Point
 - SDCCH, 76, 77, 78, 79, 80, 82, 83, 140, 189, 193, 195, 204, 205
 - SDP, see Service Data Point
 - Sector cell, 208
 - Segmentation, 66, 67
 - Service Control Function (SCF), 132, 285, 286, 287, 290
 - Service Control Point (SCP), 29, 35, 85, 113, 132, 287, 288, 321
 - Service Data Function (SDF), 285, 288
 - Service Data Point (SDP), 29, 35, 113, 132, 288
 - Service Management Application System (SMAS), 229, 288, 289
 - Service Order Gateway (SOG) y, 29, 36, 256, 257
 - Service Switching Function (SSF), 132, 285, 286, 290
 - Service Switching Point (SSP), 29, 35, 85, 113, 132, 286
 - SGSN, 328, 329, 330, 331, 332, 333, 335, 336, 337, 338, 339, 340
 - Shadowing, 50
 - Short Message Entity (SME), 130
 - Short message Handling Subsystem (SHS), 117
 - Short Message Service (SMS), 8, 10, 35, 77, 96, 114, 117, 129, 130, 131, 172, 173, 204, 205, 259, 263, 265, 267
 - SHS, 96

- Cell Traffic Recording (CTR), 250
- Cellular Management Application System (CMAS), 229, 233
- Cellular Matra Ericsson (CME), 5, 28, 85, 86, 91, 109, 110, 178, 259
- Cellular Mobile System (CMS), 5, 28, 30, 85, 86, 91, 109, 110, 179, 259
- Cellular Network Administration (CNA), 236, 238, 239, 240, 241
- Cellular Network Administration Interface (CNAI), 236, 241
- Cellular Virtual Private Network (CVPN), 281, 283
- Central Processor (CP), 94, 106, 107, 108
- Central Processor Subsystem (CPS), 106, 107
- CEPT, see Conférence Européenne des Postes et Télécommunications
- CF, 161, 244
- CGI, see Cell Global Identity
- CHA, 231, 232
- Channel coding, 56 - 68, 146
- Channel Event Recording (CER), 250
- CHarging Subsystem (CHS), 96, 104, 273
- CHS, see CHarging Subsystem
- CHSS, 96, 273
- CLM, 103
- CME, see Cellular Matra Ericsson
- CME 20, 4, 5, 31
- CMS, see Cellular Mobile System
- CNA, see Cellular Network Administration
- CNAI, see Cellular Network Administration Interface
- Code Division Multiple Access (CDMA), 318
- Coding, 56, 63, 65, 67
- Conférence Européenne des Postes et Télécommunications (CEPT), 6, 170
- Configuration, 33, 145, 230, 238, 241, 242
- Configuration Management, 33
- CP, see Central Processor
- CPS, see Central Processor Subsystem
- Customer Administration Systems (CAS), 36, 256
- CVPN, see Cellular Virtual Private Network
- D ---
- Data Communication Equipment (DCE), 170
- Data Communication Subsystem, 4, 5
- Data Terminating Equipment (DTE), 168, 170
- Data Transmission Interface (DTI), 29, 30, 113, 128, 260, 292, 294, 295, 297
- Data Transmission Subsystem (DTS), 96, 128, 295
- DBS, 106

- Signed RESponse (SRES), 123, 124, 125
- SIM, see Subscriber Identity Module
- Simplex, 43
- Site Surveys, 221
- Slow Associated Control CHannel (SACCH), 77 - 80, 82, 83, 158, 196, 204
- SME, 285, 289
- SMIA, 236, 249
- SMS, see Short Message Service
- SMS Cell Broadcast (SMSCB), 35, 129, 130, 170, 263
- SMS Center (SMS-C), 130, 204
- SMSCB, see SMS Cell Broadcast
- SOG, see Service Order Gateway
- Space diversity, 58
- Speech coding, 9
- SPM, 101, 102
- SPS, see Support Processor Subsystem
- SRES, see Signed RESponse
- SS, see Switching System
- SSF, see Service Switching Function
- SSP, see Service Switching Point
- STS, 96, 105, 249
- Subscriber authentication key (Ki), 123, 124, 164, 165
- Subscriber Identity Module (SIM), 17, 75, 123, 155, 163, 164, 165, 166, 168, 169, 172, 180, 186, 202, 280, 281, 282
- Support Processor Subsystem (SPS), 106, 107
- SW, 127
- Switching System (SS), 12, 13, 14, 28, 29, 32, 114
- Synchronization CHannel (SCH), 75, 76, 78
- System model, 12
- T ---
- TACS, see Total Access Communications System
- TAS, 96, 142
- TCH, see Traffic CHannel
- TCS, see Traffic Control Subsystem
- TDMA, see Time Division Multiple Access
- Telecommunication Management Network (TMN), 33, 228, 230, 255
- Telecommunications Management and Operations Support (TMOS), 29, 32, 33, 227 - 230, 233, 289
- Temporary Mobile Subscriber Identity (TMSI), 122, 180, 186, 195, 335
- TEMS, see TEst Mobile System
- TEst Mobile System (TEMS), 214, 215, 223, 224, 241
- Time dispersion, 52
- Time Division Multiple Access, 47
- Time Division Multiple Access (TDMA), 4 - 6, 30, 47, 53, 61, 71, 73,

75, 78, 79, 81, 121, 125, 146, 148, 216, 259, 318, 319

Time Switch Module (TSM), 101

Timing Advance (TA), 197

TMDA, 47

TMN, see Telecommunication
Management Network

TMOS, see Telecommunications
Management and Operations Support

TMSI, see Temporary Mobile
Subscriber Identity

Toll Ticketing (TT), 273, 274

Total Access Communications System,
(TACS), 4, 5

TPF, 229, 233

Traffic, 73, 77, 96, 97, 105, 122, 128,
138, 183, 187, 203, 211, 212, 236, 237,
249, 250, 255, 260, 294, 314, 334

Traffic CHannel (TCH), 77, 78, 79, 82,
83, 140, 159, 193, 195, 198, 199, 200,
201, 212, 314

Traffic Control Subsystem (TCS), 96,
97, 98

Transceiver, 13, 16, 32

TRansceiver Unit (TRU), 147, 148

Transcoder and Rate Adapter Unit
(TRAU), 136, 137, 139, 143

Transcoding, 136

Transmission, 29, 30, 39, 46, 63, 96, 99,
113, 137, 138, 139, 142, 145, 150, 156,
305

Transmission rate, 46

TRAU, see Transcoder and Rate
Adapter Unit

TRC, 29, 30, 85, 96, 133, 134, 136, 137,
138, 139, 142, 143, 222, 245

TRI, 242

TRU, 148, 151

Trunk and Signaling Subsystem (TSS),
96, 98, 99

TRX, 13, 16, 32, 134, 244

TS, 16, 53, 78

TSM, see Time Switch Module

TSS, see Trunk and Signaling
Subsystem

TT, see Toll Ticketing

--- U ---

Uplink, 39, 43, 76, 77, 251

--- V ---

Visitor Location Register (VLR), 13, 15,
18, 29, 30, 96, 104, 114, 116 - 121, 141,
180, 186, 188 - 193, 195, 198, 205, 273,
297, 332, 340

VLR, see Visitor Location Register

Voice mail, 129, 263

--- X ---

XM, 229, 230, 233

XSS, see eXisting Source System